

City style

ecobike



Basic

ecobike



Weight	21,7 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	6 - drive Shimano Tourney
Brakes	Promax TX 117
Fork	Not amortized
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Basic Nexus

ecobike



Weight	21,7 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	3 - drive Shimano Tourney
Brakes	Promax TX 117
Fork	Not amortized
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	XOFO
Nominal Power	250W
Max.Power	360W
Mount	Front
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Violet

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik White

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Black

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Grey

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Blue

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	26", three-chambered hoops
Tire	26 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Man

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LED - 3 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	25 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	7,8 - 16 Ah
Capacity (Wh)	280 - 576 Wh
Range (km)	30 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Violet PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik White PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Black PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Grey PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik Blue PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	26", three-chambered hoops
Tire	26 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Trafik M PRO

ecobike



Weight	23,5 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	28", three-chambered hoops
Tire	28 x 1.75 Impac StreetPac
Derailleur	7 - drive Shimano Altus
Brakes	Promax TX 117
Fork	SunTour CR8V
Throttle	Yes (Walk Assist)
Display	LCD C600 USB - 6 modes of drive

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

E-FOLDING SERIES

ecobike



Even White

ecobike

Weight	21,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	15,5" hydroformed aluminum
Wheel	20", three-chambered hoops
Spoke	Sapim 13G
Tire	20 x 2.0 Schwalbe Big Apple
Derailleur	6 - drive Shimano Tourney
Brakes	Promax TK 117
Fork	RST CARVE
Throttle	Yes, up to 25 km/h
Display	LCD C300 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 Ah - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	35 Nm
Voltage	36V



Even Black

ecobike

Weight	21,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	15,5" hydroformed aluminum
Wheel	20", three-chambered hoops
Spoke	Sapim 13G
Tire	20 x 2.0 Schwalbe Big Apple
Derailleur	6 - drive Shimano Tourney
Brakes	Promax TK 117
Fork	RST CARVE
Throttle	Yes, up to 25 km/h
Display	LCD C300 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 Ah - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	50 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	35 Nm
Voltage	36V



Weight	21,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	15" hydroformed aluminum
Wheel	20", three-chambered hoops
Spoke	Sapim 13G
Tire	Schwalbe 20 x 2.0 Big Apple Impac BigPac 20 x 2.0 TwinSkin
Derailleur	6 - drive SKILFUL RD-M100
Brakes	Promax TK 117
Fork	RST CARVE
Throttle	Yes, up to 25 km/h
Display	LCD C300 - 6 modes of drive
Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 Ah - 16 Ah
Capacity (Wh)	468 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.
Engine brand	BAFANG
Nominal Power	250W
Max.Power	360W
Mount	Rear
Max.Speed	25 km/h
Torque	35 Nm
Voltage	36V



TREKKING SERIES

ecobike



X-CROSS L WHITE

ecobike

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 1.75 Schwalbe Energizer Plus
Derailleur	9 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour NEX E-25 (for e-bike)
Throttle	Yes, up to 30 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



X-CROSS L BLACK

ecobike

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 1.75 Schwalbe Energizer Plus
Derailleur	9 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour NEX E-25 (for e-bike)
Throttle	Yes, up to 30 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



X-CROSS M

ecobike

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 1.75 Schwalbe Energizer Plus
Derailleur	9 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour NEX E-25 (for e-bike)
Throttle	Yes, up to 30 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



LX

ecobike

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 1.75 Schwalbe Energizer Plus
Derailleur	7 - drive Shimano Nexus
Brakes	Hydraulic Shimano MT200
Fork	SunTour Nex HLO-DS
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	DAPU
Nominal Power	250W
Max.Power	760W
Mount	Central
Max.Speed	45 km/h
Torque	90 Nm
Voltage	48V



MX

ecobike

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 1.75 Schwalbe Energizer Plus
Derailleur	7 - drive Shimano Nexus
Brakes	Hydraulic Shimano MT200
Fork	SunTour Nex HLO-DS
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	DAPU
Nominal Power	250W
Max.Power	760W
Mount	Central
Max.Speed	45 km/h
Torque	90 Nm
Voltage	48V



LX³⁰⁰**ECOBIBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.20 Continental Cruiser
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic SRAM LEVEL
Fork	RST BLAZE TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	ANANDA
Nominal Power	250W
Max.Power	840W
Mount	Central
Max.Speed	45 km/h
Torque	110 Nm
Voltage	48V



MX³⁰⁰**ECOBIBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.20 Continental Cruiser
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic SRAM LEVEL
Fork	RST BLAZE TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	ANANDA
Nominal Power	250W
Max.Power	840W
Mount	Central
Max.Speed	45 km/h
Torque	110 Nm
Voltage	48V



X500

ECOBIBIKE

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.15 Schwalbe Big Ben Plus
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic SRAM LEVEL
Fork	RST OMEGA TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 Ah - 17,5 Ah
Capacity (Wh)	624 - 840 Wh
Range (km)	80 - 200 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	ANANDA
Nominal Power	250W
Max.Power	960W
Mount	Central
Max.Speed	45 km/h
Torque	136 Nm
Voltage	48V



MX 500**ECOBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.15 Schwalbe Big Ben Plus
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic SRAM LEVEL
Fork	RST OMEGA TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 Ah - 17,5 Ah
Capacity (Wh)	624 - 840 Wh
Range (km)	80 - 200 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	ANANDA
Nominal Power	250W
Max.Power	960W
Mount	Central
Max.Speed	45 km/h
Torque	136 Nm
Voltage	48V



MTB SERIES

ECOBIKE



SX3**ECOBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	17" hydroformed aluminum
Wheel	27,5", three-chambered hoops
Spoke	Sapim 13G
Tire	27,5 x 2.20 Continental King Race
Derailleur	27 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour XCM HLO DS
Throttle	Yes, up to 30 km/h
Display	LCD C300 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



SX4**ECOBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	19" hydroformed aluminum
Wheel	27,5", three-chambered hoops
Spoke	Sapim 13G
Tire	27,5 x 2.20 Continental King Race
Derailleur	27 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour XCM HLO DS
Throttle	Yes, up to 30 km/h
Display	LCD C300 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



SX5**ECOBIKE**

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	29", three-chambered hoops
Spoke	Sapim 13G
Tire	29 x 2.20 Continental King Race
Derailleur	27 - drive Shimano Alivio
Brakes	Hydraulic Shimano MT200
Fork	SunTour XCM HLO DS
Throttle	Yes, up to 30 km/h
Display	LCD C300 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	13 - 16 Ah
Capacity (Wh)	374 - 576 Wh
Range (km)	60 - 160 km
Voltage	36V
Charging time	4 - 8 h.

Engine brand	BAFANG
Nominal Power	250W
Max.Power	560W
Mount	Rear
Max.Speed	35 km/h
Torque	45 Nm
Voltage	36V



SX300 BLUE

ECOBIKE

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	18" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.20 Continental Race King
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic Shimano BL-MT200
Fork	RST BLAZE TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	DAPU
Nominal Power	250W
Max.Power	840W
Mount	Central
Max.Speed	45 km/h
Torque	95 Nm
Voltage	48V



SX300 GREEN

ECOBIKE

Weight	24,9 kg (aluminium)
Max.Load	125 kg (with rack)
Frame	20" hydroformed aluminum
Wheel	28", three-chambered hoops
Spoke	Sapim 13G
Tire	28 x 2.20 Continental Race King
Derailleur	10 - drive SRAM GX
Brakes	Hydraulic Shimano BL-MT200
Fork	RST BLAZE TNL
Throttle	Yes, up to 40 km/h
Display	LCD C900 - 6 modes of drive

Battery type	Li-Ion
Cells brand	LG
Capacity (Ah)	10,4 - 14 Ah
Capacity (Wh)	499 - 672 Wh
Range (km)	60 - 160 km
Voltage	48V
Charging time	4 - 8 h.

Engine brand	DAPU
Nominal Power	250W
Max.Power	840W
Mount	Central
Max.Speed	45 km/h
Torque	95 Nm
Voltage	48V



ECOBIKE

RX 500



136 Nm



48V/17,5 Ah/840 Wh

Weight 24,9 kg (aluminium)
Max.Load 125 kg (with rack)
Frame 19/21" hydroformed aluminum
Wheel 29", three-chambered hoops
Spoke Sapim 13G
Tire 29 x 2.60 Schwalbe Nobby Nic
Derailleur 10 - drive SRAM GX
Brakes Hydraulic SRAM LEVEL
Fork RST OMEGA TNL
Throttle Yes, up to 40 km/h
Display LCD C900 - 6 modes of drive

Battery type Li-Ion
Cells brand LG
Capacity (Ah) 13 Ah - 17,5 Ah
Capacity (Wh) 624 - 840 Wh
Range (km) 80 - 200 km
Voltage 48V
Charging time 4 - 8 h.

Engine brand ANANDA
Nominal Power 250W
Max.Power 960W
Mount Central
Max.Speed 45 km/h
Torque 136 Nm
Voltage 48V

